

Comp 104: Operating Systems Concepts

Files and Filestore Allocation


1

Today

- Files
 - Introduction
 - Filestore allocation policies
 - Contiguous allocation
 - Linked allocation
 - File allocation table
 - Indexed allocation
 - Links
 - File deletion

2


Operating System – An Abstract View



3

Files & I/O

- Most filesystems are tree-structured (e.g. Unix)



4

Directories

- Non-leaf nodes are directories
 - contain list of filenames plus further info about each file
- Example: Unix
 - directory entry consists of filename and inode number
 - inode number references an inode - a file descriptor

5

Unix Inodes

- An inode contains info such as
 - file owner
 - permissions
 - modify and access times
 - size
 - type (regular, special, etc.)
 - location on disk

6

UNIX Permissions

- Permissions are read, write and execute (rwx) for user, group, others (ugo)
 - e.g. rwxr--r-- (rwx for owner, r for everyone else)
- Permissions can be altered with chmod
 - e.g. chmod go-r prog1

7

File Types

- Some systems (e.g. Windows) use file extension to indicate application
 - e.g. .doc, .ps, .ppt, .html
- Other systems more basic
- On UNIX, can try to execute any file
 - Exec will look for 'magic number' at head of valid executable binary file
 - If number not present, exec looks for "#!" followed by name of program to execute
 - e.g. #!/bin/ksh
 - Otherwise, assumes file is shell script and creates instance of user's preferred shell to process it

8

Filestore Allocation

- Filestore divided into fixed-size blocks
- Blocks not currently allocated to files are maintained in a free list
- Several strategies for allocating blocks
 - contiguous
 - linked
 - file allocation table (FAT)
 - indexed

9

The Free List

- Can be a simple bit vector
 - e.g. 1100111100000...
 - where 1=in use, 0=free
- Simple and efficient if kept in memory
- Problems:
 - Needs writing to disk every so often
 - May be huge for large disks
 - e.g. 80GB disk with 512-byte blocks needs 20MB for free list
- An alternative is to chain all free blocks into a linked list

10

Exercise


A free list is represented as A2A0.

How many blocks are free?

11

Contiguous Allocation

- Each file allocated a contiguous set of blocks



12


Contiguous Allocation

- Location information consists simply of *start block, no. of blocks*
- Advantages
 - fast, both for sequential and direct access
- Problems
 - fragmentation (c.f. linear memory)
 - may need regular compaction
 - number of blocks to allocate
 - file growth

13

Linked Allocation

- Each block contains a pointer to the next



14

Linked Allocation

- Advantages
 - easy to grow/shrink files
 - no fragmentation
- Problems
 - blocks widely dispersed
 - sequential access less efficient
 - direct access even worse
 - requires n reads to get to block n
 - danger of pointer corruption
- Can improve things by allocating blocks in clusters
 - but this worsens internal fragmentation

15

Question


- Which of the following is true about linked filestore allocation versus contiguous allocation?
 - a) Linked is slower for both sequential and direct access.
 - b) Linked is faster for both sequential and direct access.
 - c) Linked is faster for sequential access, but slower for direct access.
 - d) Linked is slower for sequential access, but faster for direct access.
 - e) The performance for linked and contiguous is roughly the same for both forms of access.

Answer: a
Linked is slower for both sequential and direct access

16

File Allocation Table (FAT)

- Block allocations held in table located at start of partition



17


FAT

- Advantages
 - all pointer info held in one place
 - easier to protect
 - no need for separate free list
 - direct access much more efficient
- Problems
 - may require drive head to shift constantly between FAT and file blocks
 - FAT may become huge for large disks
 - clustering may help

18

Indexed Allocation

- First block holds index to all other blocks



19

Indexed Allocation

- Advantages
 - each file's pointer info held in one place
 - very efficient for both sequential and direct access
- Problems
 - blocks may still be widely dispersed
 - can run out of pointers for large files
 - may have to chain several index blocks together
- Example: Windows NTFS
 - Has a Master File Table (MFT) using a form of indexed allocation
 - However, small files contained entirely within MFT itself

20

Links

- It is possible for several filenames to point to the same file contents
 - e.g. Unix, the command

```
$ ln /users/katie/public/prog.c myprog.c
```

creates a new directory entry called myprog.c, with the same inode number as prog.c

21

File Deletion

- To delete a file:
 - remove directory entry
 - add allocated blocks to free list (garbage collection)

22

Question

- When should a deleted file *not* be garbage collected?
 - a) When there are multiple links to it.
 - b) When the file contains program code.
 - c) When there is only one copy of the file.
 - d) When the file is a system file rather than a user file.
 - e) When the file contains encrypted data.

Answer: a
When there are multiple links to it.

23

Log-Structured File Systems

- A system crash can cause loss of data and inconsistencies
- Log-structured file systems address issues of consistency checking
 - Based on database log-based recovery algorithms
- Each update to the file system is recorded as a transaction and all transactions are written to a log
 - When a transaction is written to the log it is considered to be committed
 - However, the file system may not yet be updated
- Transactions in the log are asynchronously written to the file system then removed from the log once the modification is complete
- If the system crashes all transactions that remain in the log must still be completed

24